

<u>Project Information</u>	
System/Client Name:	Gordon Gravel & Stone, LLC
System/Client Location:	Gilsum NH
EPA ID or Permit #:	GW plan for NHDES AoT Permit 230302-048
Project Description:	Groundwater Monitoring Plan for Gilsum Blas
Water Type:	Drinking
Sampler Name:	D. Crosby

Notes:

COC 10f2

Nelson Analytical Lab's Sample Acceptance Policy can be found on our website.

Client Information

Client: AquaTech Compliance Services


Contact: Daniel Crosby

Address: 27 Brook Street

City, State & Zip: Keene NH 03431

Telephone: 603 209 4875

email: dcrosby@aquatechcompliance.com



Project Information

System/Client Name: Gordon Gravel & Stone, LLC

System/Client Location: Gilsum NH

EPA ID or Permit #: GW plan for NHDES AoT Permit 230302-048

Project Description: Groundwater Monitoring Plan for Gilsum Blast

Water Type: Drinking

Sampler Name: D. Crosby

104512
104513
104514
104515
104516
104517

Sample ID (this column for lab use)		Sample Location	Date and Time Collected	Composite or Grab (C/G)	No. of Containers	Chlorinated (Y/N)	Nitrate & Nitrite	Comments									
104512	104512	14 Spring St	6/23/25 1350	G	1	N	X										104512
104513	104513	15 Spring St	1400	G	1	N	X										104513
104514	104514	49 Spring St	1430	G	1	N	X										104514
104515	104515	55 Spring St	1430	G	1	N	X										104515
104516	104516	39 Old County Rd	1450	G	1	N	X										104516
104517	104517	8 Maple Lane	1500	G	1	N	X										104517

6/23/25

Date Rec'd: 6-23-25 Time Rec'd: 1520
Temp Rec'd: 8.2 °C Rec'd by: SPH
Location: Keene
Cooler? X N Ice: X N
Chlorine: Pos Neg X N
Bottles: TC Min/40ml HCL TC Other

Relinquished by: [Signature]

Received by: [Signature]

Relinquished by:

Received at lab by:

Date & Time: 6/23/25 1520

Date & Time: 6/23/26 1520

Notes: Coc 2nd

Receipt Checklist

Received within hold time? Y/N

Received enough volume for analysis? Y/N

Received within acceptable temperature range? Y/N

Received with appropriate preservative? Y/N

Received in acceptable condition for analysis? Y/N

Nelson Analytical Lab's Sample Acceptance Policy can be found on our website.

490 East Industrial Park Drive
Manchester, NH 03109
www.nelsonanalytical.com
(603)622-0200
NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

RP250625096
Maine State Certification #NH01005
Vermont State Certification # VT1005
Maine Radon Certification # ME17500
Massachusetts State Certification #M-NH1005

Report of Analysis

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104502, AquaTech Compliance Services
Laboratory ID: 125062616.01
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 719 Route 10
Date Collected: 06/23/2025 11:23 AM
Collected By : DC
Date Received : 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	06/24/2025 15:55	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	06/24/2025 16:02	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104503, AquaTech Compliance Services
Laboratory ID: 125062616.02
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 58 Eaton Hill Road
Date Collected: 06/23/2025 11:45 AM
Collected By : DC
Date Received : 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	06/24/2025 15:55	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	06/24/2025 16:02	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104504, AquaTech Compliance Services
Laboratory ID: 125062616.03
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 768 Route 10
Date Collected: 06/23/2025 12:00 PM
Collected By : DC
Date Received : 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	06/24/2025 15:55	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	06/24/2025 16:02	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104505, AquaTech Compliance Services
Laboratory ID: 125062616.04
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 782 Route 10
Date Collected: 06/23/2025 12:10 PM
Collected By : DC
Date Received : 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	06/24/2025 15:55	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	06/24/2025 16:02	SM 4500 NO2B	Primary	Within Standard

Notes: mg/L = ppm, µg/L = ppb, mg/L = ppt, "n" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions", EPA standards list (pH, Chlorine in field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the hold time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. # - Sample(s) received at laboratory do not meet method specified temperature criteria. Solid samples are reported on a dry weight basis unless noted otherwise. For accreditation status of the type of sample analysis, or for information on subcontract laboratories, please contact Nelson Analytical. Subcontract Laboratories: SM02: Nelson Analytical Maine Inc/2018 SM07: Nelson Analytical Inc Div. NH1007, SM02: 2062 SM04: 2071/2239, SM05: NH1509, SM06: NH12130, <https://www4.des.state.nh.us/CertLabPub/NSL%20accred%2005.pdf>, http://healthvermont.gov/cemr/nhsl_lab_public_health_laboratory.aspx, https://www.state.nj.gov/dhs/medc/jenvar/environ/health/health_professionals/lab_cert.shtml, <https://www.mass.gov/certified-laboratories>



490 East Industrial Park Drive
Manchester, NH 03109
www.nelsonanalytical.com
(603)622-0200
NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

RP250625096

Maine State Certification #NH01005
Vermont State Certification #VT1005
Maine Radon Certification #ME17500
Massachusetts State Certification #M-NH1005

Report of Analysis

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104505, AquaTech Compliance Services
Laboratory ID: 125062616.04
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 782 Route 10
Date Collected: 06/23/2025 12:10 PM
Collected By: DC
Date Received: 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
------------	---------	------------------	-------	---------------	-------------	-----------	--------------

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104506, AquaTech Compliance Services
Laboratory ID: 125062616.05
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 787 Route 10
Date Collected: 06/23/2025 12:30 PM
Collected By: DC
Date Received: 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	2.8	10	mg/L	06/24/2025 15:55	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	06/24/2025 16:02	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104507, AquaTech Compliance Services
Laboratory ID: 125062616.06
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 16 Nash Corner Road
Date Collected: 06/23/2025 12:40 PM
Collected By: DC
Date Received: 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	06/24/2025 15:55	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	06/24/2025 16:02	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104508, AquaTech Compliance Services
Laboratory ID: 125062616.07
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 29 Nash Corner Road
Date Collected: 06/23/2025 12:55 PM
Collected By: DC
Date Received: 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	06/24/2025 15:55	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	06/24/2025 16:02	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Date Collected: 06/23/2025 01:10 PM

Notes: mg/L = ppm; ug/L = ppb; mg/L = ppm; "x" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standards list pH & Chlorine as field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the hold time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. If samples received at laboratory do not meet method specified temperature criteria.

Solid samples are reported on a dry weight basis unless noted otherwise.

For accreditation status at the time of sample analysis, or for information on subcontract laboratories, please contact Nelson Analytical.

Subcontract Laboratories: SUB1: Nelson Analytical Maine NH02018 SUB 7: Nelson Analytical EAT Div, NH1007, SUB3: 2062 SUB4 2073/2239, SUB5: NH02000, SUB6: NH02136
<https://www.elap.state.nh.us/CreditStatus/WSRbyaccred1005.pdf>

<http://thehealthvermont.gov/environmental-health/departmental-laboratory.aspx>

<https://www.maine.gov/elap/maelap/maelap-laboratories.aspx>
<https://www.mass.gov/elap-laboratories>



NELSON ANALYTICAL LAB

[illegible]

RP250625096

Vermont State Certification # VT1005

Massachusetts State Certification #M-NH1005

Client Sample ID: 104509, AquaTech Compliance Services
Laboratory ID: 125062616.08
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 3 Lovell Road

Collected By : DC
Date Received : 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104510, AquaTech Compliance Services
Laboratory ID: 125062616.09
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 25 Lovell Road

Date Collected: 06/23/2025 01:25 PM
Collected By : DC
Date Received : 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104511, AquaTech Compliance Services
Laboratory ID: 125062616.10
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 33 Lovell road

Date Collected: 06/23/2025 01:35 PM
Collected By : DC
Date Received : 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104512, AquaTech Compliance Service
Laboratory ID: 125062616.11
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 14 Spring Street

Date Collected: 06/23/2025 01:50 PM
Collected By : DC
Date Received : 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

 Notice: mg-Copper, sty-PbPb, mg-Mn, Cr-VI, Asbestos, Iron, etc.: This report of analysis may not be realized in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above are available only as samples are submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standards pH & Chlorine as test parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the hold time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. 6 samples received at laboratory do not meet method specific temperature criteria.
Solid samples are reported on a dry weight basis unless noted otherwise.

For accreditation status at the time of sample analysis, or for information on subsurface laboratory services, please contact Nelson Analytical.
Subcontract Laboratories: SUEB; Nelson Analytical Maine NH-2018-SUB-7; Nelson Analytical RI-Lab-NH-2017-SUB-2; MA-2017-SUB-2229; SAHS-NH-2018-RI-2018-MA-2017-16.
<https://www.nelson-analytical.com/enr/lab/certification>
<http://healthvermont.gov/enr/ehp/labs/nah/NELAPaccred/1005.pdf>
<http://maine.gov/sites/default/files/2018-06/HealthMaineLabCertification.pdf>
<https://www.mass.gov/info-detail/massachusetts-environmental-health-services-professionals-lab-cert-listed>
<http://NH.gov/eenviroinfo/aboutcertifiedlaboratories>



RP250625096

Maine State Certification # NH01005
Vermont State Certification # VT1005
Maine Radon Certification # ME17500
Massachusetts State Certification # M-NH1005

Report of Analysis

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104513, AquaTech Compliance Services
Laboratory ID: 125062616.12
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 15 Spring Street

Date Collected: 06/23/2025 02:00 PM
Collected By : DC
Date Received : 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	3.5	10	mg/L	06/24/2025 15:55	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	06/24/2025 16:02	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104514, AquaTech Compliance Services
Laboratory ID: 125062616.13
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 49 Spring Street

Date Collected: 06/23/2025 02:20 PM
Collected By : DC
Date Received : 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	06/24/2025 15:55	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	06/24/2025 16:02	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104515, AquaTech Compliance Services
Laboratory ID: 125062616.14
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 55 Spring Street

Date Collected: 06/23/2025 02:30 PM
Collected By : DC
Date Received : 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	06/24/2025 15:55	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	06/24/2025 16:02	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104516, AquaTech Compliance Services
Laboratory ID: 125062616.15
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 39 Old County Road

Date Collected: 06/23/2025 02:50 PM
Collected By : DC
Date Received : 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	06/24/2025 15:55	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	06/24/2025 16:02	SM 4500 NO2B	Primary	Within Standard

*Notes: mg/L = ppm; ng/L = ppb; ng/L = ppt; "+" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported herein relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maryland Laboratory Accreditation Program. For a full current accredited list, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Methods" (1A-Standard) and "Soil Sampling Methods" (1B-Standard). In field parameters which should be stated immediately upon sample collection. Samples tested for pH after submission are beyond the hold time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. *Samples received at laboratory do not meet method specified detection limits.

laboratory do not meet method specified temperature criteria.
Solid samples are reported on a dry weight basis (unless noted otherwise).
For accreditation status at the time of analysis, or for information on subcontract laboratories, please contact Nelson Analytical.
Subcontract Laboratories: S002: Nelson Analytical, Maine 91010; S003: T. Nelson Analytical, CA, USA 94027; S003: 2002; S004: 2012/2/25; S005: 91012/30; S006: 91012/30;
<http://www.epa.state.nh.us/OnlineData/WSR/accrity005.pdf>
http://healthcenter.gov/consumers/your_health/_files/healthlaboratory.aspx
<https://www.maine.gov/dhcmecp/environmental/healthweb/professionals/bioint.shtml>
NHA: <http://www.maine.gov/dhcmecp>

490 East Industrial Park Drive
Manchester, NH 03109
www.nelsonanalytical.com
(603)622-0200
NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

RP250625096
Maine State Certification #NH01005
Vermont State Certification # VT1005
Maine Radon Certification # ME17500
Massachusetts State Certification #M-NH1005

Report of Analysis

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104516, AquaTech Compliance Services
Laboratory ID: 125062616.15
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 39 Old County Road
Date Collected: 06/23/2025 02:50 PM
Collected By : DC
Date Received : 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
------------	---------	------------------	-------	---------------	-------------	-----------	--------------

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 104517, AquaTech Compliance Services
Laboratory ID: 125062616.16
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 8 Maple Lane
Date Collected: 06/23/2025 03:00 PM
Collected By : DC
Date Received : 06/24/2025 08:45 AM
Temperature Rec'd °C: #26.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
------------	---------	------------------	-------	---------------	-------------	-----------	--------------

Nitrate-N <1.0 10 mg/L 06/24/2025 15:55 SM 4500 NO3 D Primary Within Standard
Nitrite-N <0.01 1.0 mg/L 06/24/2025 16:02 SM 4500 NO2B Primary Within Standard

Test Types: EPA Primary: Regulated by the EPA as a health related parameter
EPA Secondary: Aesthetic parameter - not regarded as a health concern

Respectfully Submitted
Andrew Nelson, Laboratory Director

Notes: mg/l = ppm, ug/l = ppb, mg/l = ppt, "<" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standards for pH & Chlorine as field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the field time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. * Sample(s) received at laboratory do not meet method specified temperature criteria.
Solid samples are reported on a dry weight basis unless noted otherwise.
For accreditation status at the time of sample analysis, or for information on subcontract laboratories, please contact Nelson Analytical.
Subcontract Laboratories: SUB2: Nelson Analytical Maine M02018 SUB 7: Nelson Analytical EAZ Div, NH007, SUB3: 2063 SUB4: 2077/2276, SUB5: NH2530, SUB6: NH2176,
<https://www.des.state.nh.us/OneStopNH/WSI/accstat/2005.pdf>
<http://health.vermont.gov/environmental/lab/PublicHealthLaboratory.aspx>
<https://www.mass.gov/info-detail/environmental-health-professional-lab-cert.html>
<https://www.mass.gov/certified-laboratories>