

Melson Analytical Lab, 103 Monadnock Highway, Swanzey NH 03431

(603) 357-2577 / (800) 760-4246

www.nelsonanalytical.com / keene@nelsonanalytical.com

<u>Client Information</u>	
Client:	AquaTech Compliance Services
Contact:	Daniel Crosby
Address:	27 Brook Street
City, State & Zip:	Keene NH 03431
Telephone:	603 209 4875
email:	dcrosby@aquatechcompliance.com



Chain of Custody

<u>Project Information</u>	
System/Client Name:	Gordon Gravel & Stone, LLC
System/Client Location:	Gilsum NH
EPA ID or Permit #:	GW plan for NHDES AotT Permit 230302-048
Project Description:	Groundwater Monitoring Plan for Gilsum Blast
Water Type:	Drinking
Sampler Name:	D. Crosby

[illegible]

<u>Relinquished by:</u>	<u>Date & Time:</u>
<u>Received by:</u>	
<u>Relinquished by:</u>	
<u>Received at lab by:</u>	

Notes:

<u>Receipt Checklist</u>	
Received within hold time?	Y/N
Received enough volume for analysis?	Y/N
Received within acceptable temperature range?	Y/N
Received with appropriate preservative?	Y/N
Received in acceptable condition for analysis?	Y/N

Nelson Analytical Lab's Sample Acceptance Policy can be found on our website.

Nelson Analytical Lab, 103 Monadnock Highway, Swanzey NH 03431

(603) 357-2577 / (800) 760-4246

www.nelsonanalytical.com / keene@nelsonanalytical.com

Client Information	
Client:	AquaTech Compliance Services
Contact:	Daniel Crosby
Address:	27 Brook Street
City, State & Zip:	Keene NH 03431
Telephone:	603 209 4875
email:	dcrosby@aquatechcompliance.com

NELSON ANALYTICAL LAB



Chain of Custody

Project Information	
System/Client Name:	Gordon Gravel & Stone, LLC
System/Client Location:	Gilsum NH
EPA ID or Permit #:	GW plan for NHDES AOT Permit 230302-048
Project Description:	Groundwater Monitoring Plan for Gilsum Blast
Water Type:	Drinking
Sampler Name:	D. Crosby

Sample ID (this column for lab use)	Sample Location	Date and Time Collected	Preservative	Composite or Grab (C/G)	No. of Containers	Chlorinated (Y/N)	Nitrate & Nitrite	Comments
11 105341	15 Spring St	7/30/25 1200	G	1	N	X		
12 42	14 Spring St	1210						5 th and during blowing
13 43	49 Spring St	1226						
14 44	55 Spring St	1246						
15 45	3902 County Rd.	1258						
16 46	8 Maple Ln	1309						

Relinquished by:	Date & Time:
Received by:	
Relinquished by:	
Received at lab by:	

Notes:

CC 2 of 2

Date Rec'd: 7-30-25 Time Rec'd: 1405
Temp Rec'd: 17.6 °C Rec'd by: JH/S
Location:
Cooler? ☒ Y ☐ N Ice: ☒ Y ☐ N
Chlorine: Pos Neg NA
Bottles: TC Min 40ml HCl TC Other

Receipt Checklist	
Received within hold time?	Y/N
Received enough volume for analysis?	Y/N
Received within acceptable temperature range?	Y/N
Received with appropriate preservative?	Y/N
Received in acceptable condition for analysis?	Y/N

's Sample Acceptance Policy can be found on our

490 East Industrial Park Drive
Manchester, NH 03109
www.nelsonanalytical.com
(603)622-0200
NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

RP250801002

Maine State Certification #NH01005
Vermont State Certification # VT1005
Maine Radon Certification # ME17500
Massachusetts State Certification #M-NH1005

Report of Analysis

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105331, AquaTech Compliance Services
Laboratory ID: 125073535.01
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 25 Lovell Road
Date Collected: 07/29/2025 04:15 PM
Collected By : DC
Date Received : 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	2.4	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105332, AquaTech Compliance Services
Laboratory ID: 125073535.02
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 719 Rte 10
Date Collected: 07/30/2025 09:00 AM
Collected By : DC
Date Received : 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105333, AquaTech Compliance Services
Laboratory ID: 125073535.03
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 58 Eaton Hill Road
Date Collected: 07/30/2025 09:20 AM
Collected By : DC
Date Received : 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105334, AquaTech Compliance Services
Laboratory ID: 125073535.04
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Sons, 768 Route 10
Date Collected: 07/30/2025 09:41 AM
Collected By : DC
Date Received : 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Notes: mg/L = ppm; ug/L = ppb; mg/L = ppt. "L" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the website listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standards list pH & Chlorine as field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the field time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. # - sample(s) received at laboratory do not meet method specified temperature criteria. Solid samples are reported on a dry weight basis unless noted otherwise. For accreditation status at the time of sample analysis, or for information on subcontract laboratories, please contact Nelson Analytical. Subcontract Laboratories: SLO: Nelson Analytical Maine #0218 SLO 7: Nelson Analytical (AZ) Div. #01007, SLO3: 2042 SLO4: 2074/2279, SLO5: #02530, SLO6: #02130, <https://www4.des.state.nh.us/OW/02gphub/W50/02c0201005.pdf>, http://health.vermont.gov/ctviro/ph_lab/publichealthlaboratory.aspx, <https://www.maine.gov/ehhs/menap/environmental-health/dwp/professionals/labCert.shtml>, <https://www.mass.gov/certified-laboratories>



490 East Industrial Park Drive
Manchester, NH 03109
www.nelsonanalytical.com
(603)622-0200
NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

RP250801002

Maine State Certification #NH01005
Vermont State Certification # VT1005
Maine Radon Certification # ME17500
Massachusetts State Certification #M-NH1005

Report of Analysis

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105334, AquaTech Compliance Services
Laboratory ID: 125073535.04
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 768 Route 10
Date Collected: 07/30/2025 09:41 AM
Collected By: DC
Date Received: 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
------------	---------	------------------	-------	---------------	-------------	-----------	--------------

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105335, AquaTech Compliance Services
Laboratory ID: 125073535.05
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 782 Route 10
Date Collected: 07/29/2025 10:05 AM
Collected By: DC
Date Received: 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
------------	---------	------------------	-------	---------------	-------------	-----------	--------------

Nitrate-N	<1.0	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105336, AquaTech Compliance Services
Laboratory ID: 125073535.06
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 787 Route 10
Date Collected: 07/30/2025 10:21 AM
Collected By: DC
Date Received: 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
------------	---------	------------------	-------	---------------	-------------	-----------	--------------

Nitrate-N	3.5	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105337, AquaTech Compliance Services
Laboratory ID: 125073535.07
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 16 Nash Corner Road
Date Collected: 07/30/2025 10:43 AM
Collected By: DC
Date Received: 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
------------	---------	------------------	-------	---------------	-------------	-----------	--------------

Nitrate-N	<1.0	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Date Collected: 07/30/2025 11:03 AM

Notes: mg/L = ppm; ug/L = ppb; mg/L = ppt; "C" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standards for pH & Chlorine as field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the hold time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. # Samples received at laboratory do not meet method specified temperature criteria. Solid samples are reported on a dry weight basis unless noted otherwise. For accreditation status at the time of sample analysis, or for information on subcontract laboratories, please contact Nelson Analytical. Subcontract Laboratories: "SLB2" Nelson Analytical Maine HQ 03018 SLB 7, Nelson Analytical EAL Div, NH01002, SLB3: 2062 SLB4: 2073/2229, SLB5: NH2530, SLB6: NH2136, <https://www.las.state.nh.us/Quality/Pubs/WaterQuality1005.pdf>, <http://health.vermont.gov/consumers/labPublicHealthLaboratory.aspx>, <https://www.maine.gov/ehhs/monitoring/environmental-health/dwp/professionals/labCert.shtml>, <https://www.mass.gov/certified-laboratories>

490 East Industrial Park Drive
Manchester, NH 03109
www.nelsonanalytical.com
(603)622-0200
NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

RP250801002

Maine State Certification #NH01005
Vermont State Certification #VT1005
Maine Radon Certification #ME17500
Massachusetts State Certification #M-NH1005

Report of Analysis

Client Sample ID: 105338, AquaTech Compliance Services
Laboratory ID: 125073535.08
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 29 Nash Corner Road
Collected By: DC
Date Received: 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105339, AquaTech Compliance Services
Laboratory ID: 125073535.09
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 3 Lovell Road
Date Collected: 07/30/2025 11:20 AM
Collected By: DC
Date Received: 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105340, AquaTech Compliance Services
Laboratory ID: 125073535.10
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 33 Lovell Road
Date Collected: 07/30/2025 11:38 AM
Collected By: DC
Date Received: 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105341, AquaTech Compliance Services
Laboratory ID: 125073535.11
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 15 Spring Street
Date Collected: 07/30/2025 12:00 PM
Collected By: DC
Date Received: 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Notes: mg/L = ppm; ug/L = ppb; mg/L = ppm; " <" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standard test pH & Chlorine as field parameters which should be tested immediately upon sample collection. Samples limited for pH after submission are beyond the hold time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. 2. Samples received at laboratory do not meet method specified temperature criteria. Solid samples are reported on a dry weight basis unless noted otherwise. For accreditation status at the time of sample analysis, or for information on subcontract laboratories, please contact Nelson Analytical. Subcontract Laboratories: SUB1: Nelson Analytical Maine #12016-0187; Nelson Analytical EAL Div. #H1007; SUB2: SUB04-2017-2239; SUB3: #12536; SUB8: #12136. <https://www.dhs.state.nh.us/OneStop/ehs/accdata/1005.pdf> https://health.vermont.gov/environ/ehs_labPublicHealthLaboratory.aspx https://www.maine.gov/dhs/environ/ehs/ehs_labPublicHealthLaboratory.aspx <https://www.mass.gov/certified-laboratories>



490 East Industrial Park Drive
Manchester, NH 03109
www.nelsonanalytical.com
(603)622-0200
NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

RP250801002

Maine State Certification #NH01005
Vermont State Certification #VT1005
Maine Radon Certification #ME17500
Massachusetts State Certification #M-NH1005

Report of Analysis

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105342, AquaTech Compliance Services
Laboratory ID: 125073535.12
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 14 Spring Street
Date Collected: 07/30/2025 12:10 PM
Collected By: DC
Date Received: 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	4.5	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105343, AquaTech Compliance Services
Laboratory ID: 125073535.13
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 49 Spring Street
Date Collected: 07/30/2025 12:26 PM
Collected By: DC
Date Received: 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105344, AquaTech Compliance Services
Laboratory ID: 125073535.14
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 55 Spring Street
Date Collected: 07/30/2025 12:40 PM
Collected By: DC
Date Received: 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105345, AquaTech Compliance Services
Laboratory ID: 125073535.15
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 39 Old County Road
Date Collected: 07/30/2025 12:58 PM
Collected By: DC
Date Received: 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Notes: mg/L, ppm, ug/L, ppb, mg/L, ppb, "c" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions", EPA standards list 816.1 as field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the field time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. 4 (samples) received at laboratory do not meet method specified temperature criteria. Solid samples are reported on a dry weight basis unless noted otherwise. For accreditation status at the time of sample analysis, or for information on subcontract laboratories, please contact Nelson Analytical. Subcontract Laboratories: S482: Nelson Analytical Maine NH01018 SUB 2; Nelson Analytical EAL Div. NH1007; S483: 2042 SUBM 20732239; S485: NH0230; S488: NH02136; <https://www.des.state.nh.us/OneStopPub/Viol/Recdely1005.pdf>; <http://healthvermont.gov/environmental/health/swtp/ProfessionalLabCert.shtml>; <https://www.mass.gov/certified-laboratories>

490 East Industrial Park Drive
Manchester, NH 03109
www.nelsonanalytical.com
(603)622-0200
NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

RP250801002
Maine State Certification #NH01005
Vermont State Certification # VT1005
Maine Radon Certification # ME17500
Massachusetts State Certification #M-NH1005

Report of Analysis


Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105345, AquaTech Compliance Services
Laboratory ID: 125073535.15
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 39 Old County Road
Date Collected: 07/30/2025 12:58 PM
Collected By: DC
Date Received: 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
------------	---------	------------------	-------	---------------	-------------	-----------	--------------

Customer: Nelson Analytical Lab Keene Division
Client Sample ID: 105346, AquaTech Compliance Services
Laboratory ID: 125073535.16
Sample Matrix: Drinking Water
Sample Location: Gordon Gravel & Sons, 8 Maple Lane
Date Collected: 07/30/2025 01:09 PM
Collected By: DC
Date Received: 07/31/2025 08:35 AM
Temperature Rec'd °C: #23.8

Parameters	Results	Acceptable Level	Units	Date Analyzed	Test Method	Test Type	Test Remarks
Nitrate-N	<1.0	10	mg/L	07/31/2025 15:15	SM 4500 NO3 D	Primary	Within Standard
Nitrite-N	<0.01	1.0	mg/L	07/31/2025 16:00	SM 4500 NO2B	Primary	Within Standard

Test Types: EPA Primary: Regulated by the EPA as a health related parameter
EPA Secondary: Aesthetic parameter - not regarded as a health concern

Respectfully Submitted 
Andrew Nelson, Laboratory Director

Notes: mg/L reports, ug/L = mg/L * 1000, "n" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standards for pH & Chlorine as field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the hold time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. If sample(s) received at laboratory do not meet method specified temperature criteria, solid samples are reported on a dry weight basis unless noted otherwise. For accreditation status at the time of sample analysis, or for information on subcontract laboratories, please contact Nelson Analytical. Subcontract Laboratories: 5032: Nelson Analytical Maine NH01005 SUB 1: Nelson Analytical NH01007 SUB 2: 2062 SUB 4: 2073/2239, SUB 5: NH02530, SUB 6: NH02136, <https://www4.dhs.state.nh.us/OneStopSub/WSEB/occlab/1005.pdf>, http://healthvermont.gov/environ/ohs_lab/publicresdhdlaboratory.aspx, <https://www.maine.gov/dhs/mecdc/environmenal/health/ohs/professionals/labCert.html>, <https://www.mass.gov/certified-laboratories>

