

<u>Project Information</u>	
System/Client Name:	Gordon Gravel & Stone, LLC
System/Client Location:	Gilsum NH
EPA ID or Permit #:	GW plan for NHDES AoT Permit 230302-048
Project Description:	Groundwater Monitoring Plan for Gilsum Blast
Water Type:	Drinking
Sampler Name:	D. Crosby

Notes:

<u>Receipt Checklist</u>	
Received within hold time?	Y / N
Received enough volume for analysis?	Y / N
Received within acceptable temperature range?	Y / N
Received with appropriate preservative?	Y / N
Received in acceptable condition for analysis?	Y / N

Nelson Analytical Lab's Sample Acceptance Policy can be found on our website.

Please run within hold.

Nelson Analytical Lab, 103 Monadnock Highway, Swanzey NH 03431

(603) 357-2577 / (800) 760-4246

www.nelsonanalytical.com / keene@nelsonanalytical.com

Client Information	
Client:	AquaTech Compliance Services
Contact:	Daniel Crosby
Address:	27 Brook Street
City, State & Zip:	Keene NH 03431
Telephone:	603 209 4875
email:	dcrosby@aquatechcompliance.com

NELSON ANALYTICAL LAB



Chain of Custody

Project Information	
System/Client Name:	Gordon Gravel & Stone, LLC
System/Client Location:	Gilsum NH
EPA ID or Permit #:	GW plan for NHDES AoT Permit 230302-048
Project Description:	Groundwater Monitoring Plan for Gilsum Blast
Water Type:	Drinking
Sampler Name:	D. Crosby

Preservative:

Sample ID (this column for lab use)	Sample Location	Date and Time Collected	Composite or Grab (C/G)	No. of Containers	Chlorinated (Y/N)	Nitrate & Nitrite	Comments
11 105858	14 Spring St	8/21/25	1115 G	1	N	X	6th Rd during blasting
12 59	15 Spring St		1132				
13 60	49 Spring St		1133				
14 61	55 Spring St		1142				
15 62	39 Old County Rd.		1155				
16 63	6 Maple Ln		1209				
AC							8/21/25

Date Rec'd: 8/21/25 Time Rec'd: 12:40
Temp Rec'd: 20.8°C Rec'd by: [Signature]
Location: Cooler? Y N Ice: Y N
Chlorine: Pos Neg NA
Bottles: TC Mic 40ml HCL LC Other

Notes:

COC
2 of 2

Receipt Checklist

Received within hold time?	Y / N
Received enough volume for analysis?	Y / N
Received within acceptable temperature range?	Y / N
Received with appropriate preservative?	Y / N
Received in acceptable condition for analysis?	Y / N

Nelson Analytical Lab's Sample Acceptance Policy can be found on our website.

Relinquished by:	Date & Time:
Received by:	
Relinquished by:	
Received at lab by:	



RP250825141

490 East Industrial Park Drive
Manchester, NH 03109
www.nelsonanalytical.com
(603)622-0200
NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

Maine State Certification #NH01005
Vermont State Certification # VT1005
Maine Radon Certification # ME17500
Massachusetts State Certification #M-NH1005

Report Of Analysis

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105848, AquaTech
Laboratory ID: 125082645.01
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsum, NH - 719 Route 10
Date Collected: 08/21/2025 09:10 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	<1.0	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105849, AquaTech
Laboratory ID: 125082645.02
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsum, NH - 58 Eaton Hill Road
Date Collected: 08/21/2025 09:25 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	<1.0	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105850, AquaTech
Laboratory ID: 125082645.03
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsum, NH - 768 Route 10
Date Collected: 08/21/2025 09:38 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	<1.0	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD



Notes: mg/L = ppm; ug/L = ppb; mg/L = ppt; "<" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standards for pH & Chlorine as field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the hold time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. (if sample(s) received at laboratory do not meet method specified temperature criteria. Solid samples are reported on a dry weight basis unless noted otherwise. For accreditation status at the time of sample analysis, or for information on subcontract laboratories, please contact Nelson Analytical. Subcontract Laboratories: 5082: Nelson Analytical Maine RP2015 5012 7; Nelson Analytical E&E Div. RP1607, 30603, 2062 SUBH 2017/2/2309, 5085 RP2530, 5088 RP2130, <https://www.des.state.nh.us/OneStopGo/Water/index.cfm> http://healthvermont.gov/cvrs/eh_lab/2016/04/14/labcert.cfm <https://www.maine.gov/dhs/mec/vermont-environmental-health-dept/professionals/lab/cert.shtml> <https://www.maine.gov/certified-laboratories>

Date Reported: 08/25/2025 15:26

RP250825141

490 East Industrial Park Drive
Manchester, NH 03109
www.nelsonanalytical.com
(603)622-0200
NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

Maine State Certification #NH01005
Vermont State Certification #VT1005
Maine Radon Certification #ME17500
Massachusetts State Certification #M-NH1005

Report Of Analysis

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105851, AquaTech
Laboratory ID: 125082645.04
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsun, NH - 782 Route 10

Date Collected: 08/21/2025 09:51 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	<1.0	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105852, AquaTech
Laboratory ID: 125082645.05
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsun, NH - 787 Route 10

Date Collected: 08/21/2025 10:08 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	3.6	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105853, AquaTech
Laboratory ID: 125082645.06
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsun, NH - 16 Nash Corner Road


Date Collected: 08/21/2025 10:21 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	<1.0	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD



Notes: mg/L = ppm; ug/L = ppb; ng/L = ppt. "<" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the website listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standards for pH & Chlorine as field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the hold time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. # Samples received at laboratory do not need method specified temperature criteria.
Solid samples are reported on a dry weight basis unless noted otherwise.
For accreditation status at the time of sample analysis, or for information on subcontract laboratories, please contact Nelson Analytical.
Subcontract Laboratories: SUB2: Nelson Analytical Maine PO2018 SUB 7: Nelson Analytical MA Div. #M1007, SUB3: 2062 SUB4: 03/27/22 SUB5: #M1030, SUB6: #M1030, SUB7: #M1030.
<https://www4.dhs.state.nh.us/OneStopLab/NSL/NSL0202b/1005.pdf>
<http://www.vermont.gov/newsroom/2019/06/06/vermont-public-health-laboratory-accreditation>
<https://www.maine.gov/health/newsroom/2019/06/06/maine-public-health-laboratory-accreditation>
<https://www.mass.gov/certified-laboratories>

Date Reported: 08/25/2025 15:26



490 East Industrial Park Drive
Manchester, NH 03109
www.nelsonanalytical.com
(603)622-0200
NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

Maine State Certification #NH01005
Vermont State Certification # VT1005
Maine Radon Certification # ME17500
Massachusetts State Certification #M-NH1005

Report Of Analysis

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105854, AquaTech
Laboratory ID: 125082645.07
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsun, NH - 29 Nash Corner Road

Date Collected: 08/21/2025 10:35 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	<1.0	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105855, AquaTech
Laboratory ID: 125082645.08
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsum, NH - 3 Lovell Drive

Date Collected: 08/21/2025 10:47 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	<1.0	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105856, AquaTech
Laboratory ID: 125082645.09
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsum, NH - 25 Lovell Drive

Date Collected: 08/21/2025 10:56 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	1.3	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD



Notes: "ug/L" equals "ug/L (dry weight, full-suspension, 100% dryness)"; "mg/kg" denotes "mg/kg (dry weight)". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Hudson Analytical, LLC. Results reported above relate only to samples as received, unless otherwise specifically noted otherwise. Hudson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Accreditation Program, and the Maine Laboratory Accreditation Program. For a list of current accredited labs, please visit the websites listed below. Sampling performed by the lab is according to the lab's document "Method Samples". If EPA methods for lead, cadmium or field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are analyzed the field time. Samples will be analyzed as quickly as laboratory work allows. Multiple samples may be analyzed the same day they are received. If samples received at the laboratory do not meet EPA's disposal requirements, the laboratory does not accept them.

For accreditation status at the time of sample analysis, or for information on subcontract laboratories, please contact: Nidhis Analytical, Subcontract Laboratories: SU02, Nidhis Analytical House H02015, SUB 7, Nidhis Analytical IAC Ltd, 4th/1007, 98013, 2060, SU04, 207/2229, SU05 H0230, SU06 N0236, <http://www.fssai.nic.in/OneStopShop/NSR/records/1005.pdf>, http://healthcare.govt.in/eng/eng_lab/PubHealthLaboratory.aspx, <https://www.eiaa.gov.in/directories/environmental-health/eng/professional/su02Cont.html>, <https://www.mhaa.gov.in/central-laboratories>

Date Reported: 08/25/2025 15:26



RP250825141

490 East Industrial Park Drive
Manchester, NH 03109
www.nelsonanalytical.com
(603)622-0200
NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

Maine State Certification #NH01005
Vermont State Certification #VT1005
Maine Radon Certification #ME17500
Massachusetts State Certification #M-NH1005

Report Of Analysis

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105857, AquaTech
Laboratory ID: 125082645.10
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsun, NH - 33 Lovell Drive

Date Collected: 08/21/2025 11:08 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	<1.0	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105858, AquaTech
Laboratory ID: 125082645.11
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsun, NH - 14 Spring Street

Date Collected: 08/21/2025 11:15 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	4.9	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105859, AquaTech
Laboratory ID: 125082645.12
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsun, NH - 15 Spring Street

Date Collected: 08/21/2025 11:22 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	<1.0	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD



Notes: mg/L=ppm; ug/L=ppb; ng/L=ppt. "c" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standards for pH & Chlorine as field parameters which should be tested immediately upon sample collection. Samples tested for pH after collection are tested the next day. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. A-Sample(s) received at laboratory do not meet method specified temperature criteria. Solid samples are reported on a dry weight basis unless noted otherwise. For accreditation status at the time of sample analysis, or for information on subcontract laboratories, please contact Nelson Analytical. Subcontract Laboratories: 5082: Nelson Analytical Maine NH0018 SUB 2: Nelson Analytical EAL Div. 101007: 5083: 2062: 5084: 2073/2279, 5085: 10125/30, 5086: NH4136, <https://www.elap.state.nh.us/OneStopPubWeb/accsub/1005.pdf>, <http://vhealthdepartment.gov/vermontpublichealthlaboratory.aspx>, <https://www.mass.gov/info-details/certified-laboratories>, <https://www.mhs.gov/certified-laboratories>

Date Reported: 08/25/2025 15:26



RP250825141

490 East Industrial Park Drive
Manchester, NH 03109
www.nelsonanalytical.com
(603)622-0200
NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

Maine State Certification #NH01005
Vermont State Certification # VT1005
Maine Radon Certification # ME17500
Massachusetts State Certification #M-NH1005

Report Of Analysis

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105860, AquaTech
Laboratory ID: 125082645.13
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsun, NH - 49 Spring Street

Date Collected: 08/21/2025 11:31 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	<1.0	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105861, AquaTech
Laboratory ID: 125082645.14
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsun, NH - 55 Spring Street

Date Collected: 08/21/2025 11:42 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	<1.0	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105862, AquaTech
Laboratory ID: 125082645.15
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsun, NH - 39 Old Contry Road

Date Collected: 08/21/2025 11:55 AM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	<1.0	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD



Notes: mg/L=ppm, ug/L=ppb, ng/L=ppt, "n" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standards list pH & Chlorine as field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the hold time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. 2-Samples received at field samples are reported on a dry weight basis unless noted otherwise.

For accreditation status at the time of sample analysis, or for information on subcontract laboratories, please contact Nelson Analytical.
Subcontract Laboratories: SUB1: Nelson Analytical Maine H2010 SUB 7: Nelson Analytical MA Div. NH1007, SUB2: 2062 SUB4:2013/12/27, SUB5: NH12530, SUB6: NH12136,
<https://www4.dhs.state.nh.us/OnedocPub/VSEB/Activity/1000.pdf>
<http://healthvermont.gov/vermont-ph-lab/public-health-laboratory.aspx>
<https://www.maine.gov/health/vermont-public-health-lab/public-health-laboratory/lab-cert.shtml>
<https://www.mass.gov/certified-laboratories>

Date Reported: 08/25/2025 15:26



RP250825141

490 East Industrial Park Drive
Manchester, NH 03109
www.nelsonanalytical.com
(603)622-0200
NH ELAP Accreditation #NH1005

NELSON ANALYTICAL LAB

Maine State Certification #NH01005
Vermont State Certification # VT1005
Maine Radon Certification # ME17500
Massachusetts State Certification #M-NH1005

Report Of Analysis

Customer : Nelson Analytical Lab Keene Division
Client Sample ID: 105863, AquaTech
Laboratory ID: 125082645.16
Sample Matrix : Drinking Water
Sample Location: Gordon Gravel & Stone, Gilsom, NH - 8 Maple Lane
Date Collected: 08/21/2025 12:09 PM
Collected By : D. Crosby
Date Received : 08/22/2025 08:50 AM
Temperature Rec'd°C: #18.2

Parameter	Result	Units	Method	Rpt Limit	Q	Date/Time Analyzed	Analyst
Nitrate-N	<1.0	mg/L	SM 4500 NO3 D	1		08/22/2025 15:35	GR
Nitrite-N	<0.01	mg/L	SM 4500 NO2B	0.01		08/22/2025 16:05	AD

Respectfully Submitted 
Andrew Nelson, Laboratory Director


Notes: mg/L, ppm, ug/L, ppb, ug/L, ppt, "c" denotes "less than". This report of analysis may not be modified in any way, or reproduced except in full, without written approval from Nelson Analytical, LLC. Results reported above relate only to samples as submitted, unless specifically noted otherwise. Nelson Analytical, LLC is currently accredited by the New Hampshire Environmental Lab Accreditation Program, the Vermont Laboratory Accreditation Program, the Massachusetts Laboratory Certification Program, and the Maine Laboratory Accreditation Program. For a list of current accredited tests, please visit the websites listed below. Sampling performed by the lab is according to the lab document "Water Sampling Instructions". EPA standards list pH & Chlorine as field parameters which should be tested immediately upon sample collection. Samples tested for pH after submission are beyond the hold time. Samples will be analyzed as quickly as laboratory operations allow. Metals samples may be analyzed the same day they are received. 4 Samples received at
Laboratory do not meet method specified temperature criteria.
Solid samples are reported on a dry weight basis unless noted otherwise.
For accreditation status at the time of sample analysis, or for information on subcontract laboratories, please contact Nelson Analytical.
Subcontract Laboratories: 51802 Nelson Analytical Maine Inc 2015 SUB 7; Nelson Analytical MA Div. NH1007, 9450; 2062 51804-2073/2210, 51805 NH2530, 51806 NH1136,
<https://www4.dhs.state.nh.us/OneStopPub/VV02/VerSub/1005.pdf>
<http://healthvermont.gov/environmental-health/department/health-laboratory.aspx>
<https://www.maine.gov/environmental-health/department/professionals/lab-cert.html>
<https://www.mass.gov/certified-laboratories>

Date Reported: 08/25/2025 15:26